

# HELIX®

Elastic knit wrist helps prevent dirt and debris from entering the glove

Ultimate dexterity and tactility

13-gauge aramid and wool blend shell with flame-resistant properties\*

Can be used as a glove or underglove with appropriate top-glove solution

Seamless construction for enhanced comfort and breathability



Launderable for extended life

## 2083 Helix® Series Liner

### ATTRIBUTES:

<b>Shell:</b>	13G aramid/wool
<b>Coating:</b>	n/a
<b>Sizes:</b>	6/XS through 12/3XL

\*Glove did not pass the EN 407 requirements because abrasion resistance did not meet the minimum requirement of Level 1. The user should be aware that these levels of performance may not be maintained in use, and where hand protection from heat/flame is required the user should select an EN 407 compliant glove. Visit [hexarmor.com](http://hexarmor.com) for more information.



### FEATURES:

Innovation intertwined with safety. That's the DNA of the Helix® Series. Helix® Series gloves are tightly knit with strong yet extremely dexterous fibers that offer industry-leading cut protection and abrasion resistance. A seamless series that answers the call of duty for most jobs.

**REACH**  
COMPLIANT

REACH Compliant: Avoidance of substances classified as carcinogenic, mutagenic or reprotoxic, persistent, bioaccumulative or toxic.

### PROTECTION ZONES:

 <p>Aramid Blend Shell</p> 	<p>ANSI/ISEA CUT</p> <p><b>A2</b></p>	<p>GRAM SCORE</p> <p><b>874</b></p>	<p>EN388:2016</p> <p><b>X442</b></p>
	<p>ANSI/ISEA PUNCTURE</p> <p><b>3</b></p>	<p>EN407:2004</p> <p><b>4131XX</b></p>	<p>Meets the following performance levels of EN 407:</p> <p>5.1 Burning Behavior Level 4 5.2 Contact Heat Level 1 5.3 Convective Heat Level 3 5.4 Radiant Heat Level 1</p>

## HexArmor®

Call 1-877-MY ARMOR or visit [hexarmor.com](http://hexarmor.com)

HexArmor® products are cut and puncture resistant, NOT CUT AND PUNCTURE PROOF. Do not use with moving or serrated blades or tools. User shall be exclusively responsible to assess the suitability of the product as specified for any individual application or use. Protection zones are to be used as a general guide. Actual product protection zones may differ. Product features, design, protection zones subject to change.