


# HELIX® 3027IMP

HexArmor®

Innovation intertwined with safety. That's the DNA of the Helix® Series. The Helix® 3027IMP features a double-dipped flexible sandy nitrile palm coating that provides 360° liquid resistance while maintaining a superior grip in dry, oily, and wet situations.

A strong yet extremely dexterous 21-gauge HPPE blend shell offers 360° level A7 cut resistance. The back-of-hand IR-X® Impact Exoskeleton™ with high-flex design provides level 2 protection.

## Protection zones



ANSI/ISEA 105-2016  
CUT

A7



ANSI/ISEA 105-2016  
GRAM SCORE

4172



ANSI/ISEA 105-2016  
PUNCTURE

3



ANSI/ISEA 105-2016  
ABRASION

4



ANSI/ISEA 138-2019  
IMPACT

2



EN388:2016+A1:2018

Pending

## Attributes

<b>Shell:</b>		21G HPPE/ metal fiber
<b>Coating:</b>	Material:	Sandy nitrile
	Finish:	Textured
	Weight:	Medium
	Breathability:	Poor
	Flexibility:	Good
	Grip:	Dry, oil, or wet
<b>Sizes:</b>		6/XS through 12/3XL



Touchscreen



Liquid  
resistant

## Product features

- 21-gauge HPPE and metal fiber blend shell
- Flexible sandy nitrile palm coating provides superior grip and abrasion resistance
- Full flat nitrile coating offers 360° liquid resistance
- Back-of-hand IR-X® Impact Exoskeleton™ with high-flex design provides level 2 impact protection
- Coated knit wrist helps prevent fluid and debris from entering the glove
- Hook and loop wrist closure for a secure fit
- Touchscreen capabilities
- Fiberglass-free
- Ultimate dexterity and tactility
- Seamless construction for enhanced comfort and flexibility
- Launderable for extended life
- Vend-packed

Call **1.877.MY ARMOR** or visit **hexarmor.com**

HexArmor® products are cut and puncture resistant, NOT CUT AND PUNCTURE PROOF. Do not use with moving or serrated blades or tools. User shall be exclusively responsible to assess the suitability of the product as specified for any individual application or use. Protection zones are to be used as a general guide. Actual product protection zones may differ. Product features, design, protection zones subject to change.

Protected by patents and patents pending